STATE OF Months of SS.

County of Hampwore 18 wether instrument to the proof of the strument in the control of the strument to the strument of the strument of

File No.....

T 3 I 21

DUPLICATE

County ... Greadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

Under Chapter 237, Montana Session Laws, 1981)

		of	Coston
Name of Appropriator		Address	(Town)
Courty of Broadwater	rilina	State of Mintana to the Montana laws in effect prior t	o lanuary 1 1969 as follows
nave appropriated groundwater acco	t umi	to the Stoffana laws in effect prior	ij wandat ji 1. 1502. as tonow.
¥ ,			
	1	The beneficial use on which the claim	
		Stock	
	-1	Data on appropriate data of soulists	handiaint was and how an
	.).	Date or approximate date of earliest tinuous the use has been January	
X			
	4.	The amount of groundwater claimed	in miner's inches or gallo
		per minute) 20 gals. per	
			,
	_		
<u> </u>	5.	If used for irrigation, give the acreage to which water has been applied and	
_			
Man Second T SA Rate			
eate point of appropriation			
place of use, if possible. h small square represents 10	6.	The means of withdrawing such was	ter from the ground and :
n small addate represents to		location of each well or other means	· ·
		namd pump	
drawal of groundwater Jan. 19	59	n of the construction of the well, we a nand-pump was installed	lls, or other works for wi
drawal of groundwater Jan. 19	159	n of the construction of the well, we a nand-pump was installed	lls, or other works for wi
The depth of water table 25.55	159	n of the construction of the well, we a nand-pump was installed	lls, or other works for wi
The depth of water table 25.55	ype, s	n of the construction of the well, we a name pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25. St. So far as it may be available, the tworks for the withdrawal of ground	ype, s water	n of the construction of the well, we a name pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25. The So far as it may be available, the tworks for the withdrawal of ground	ype, s water	n of the construction of the well, we a name pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25 ft. So far as it may be available, the tworks for the withdrawal of ground	ype, s	n of the construction of the well, we a name pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25. It So far as it may be available, the t works for the withdrawal of ground	ype, s water	n of the construction of the well, we a nand pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25. St. So far as it may be available, the tworks for the withdrawal of ground	ype, s water	in of the construction of the well, we a nand-pump was installed ize and depth of each well or the gene	lls, or other works for wi
The depth of water table 25. St. So far as it may be available, the tworks for the withdrawal of ground	ype, s water	in of the construction of the well, we a name pump was installed ize and depth of each well or the generation of the second steel dasing with a name of the second steel dasing steel dasin	lls, or other works for wi
The depth of water table 25. St. So far as it may be available, the tworks for the withdrawal of ground	ype, s water wis	in of the construction of the well, we a name pump was installed. ize and depth of each well or the generation steel dasing with a name of the general dasing with a name of th	lls, or other works for wi
The depth of water table 25. It so far as it may be available, the tworks for the withdrawal of ground. The well is 25 ft. deep. The estimated amount of groundwa. The log of formations encountered as a clay 5! to 10! ha	ype, swater witer win the	in of the construction of the well, we a name pump was installed ize and depth of each well or the generation of the second steel dasing with a name of the second steel dasing steel dasin	ils, or other works for wiral specifications of any other and pump to withdraw to 28 it. gravel
The depth of water table 25. The so far as it may be available, the tworks for the withdrawal of ground. The well is 25 ft. deep. The stimated amount of groundwa. The log of formations encountered in the log of state of the clay of to 101 has	ype, s water witer w	ize and depth of each well or the generated as installed with a name of inon steel dasing with a na	ils, or other works for wiral specifications of any other and pump to withdraw to 28 ft. gravel
The depth of water table 25. It So far as it may be available, the t works for the withdrawal of ground	ype, s water witer w in the	ize and depth of each well or the generated and steel dasing with a national line of each well or the generated are into a steel dasing with a national line of each well if available and the steel steel gravel in the steel gravel gravel in the steel gravel g	ils, or other works for wiral specifications of any other and pump to withdraw to 28 ft. gravel.
The depth of water table 25. "t So far as it may be available, the t works for the withdrawal of ground	ype, siwater win the reipa	n of the construction of the well, we a nand pump was installed. ize and depth of each well or the gene a coincon steel dashing with a natheration of each well if available	ils, or other works for wiral specifications of any other and pump to withdraw in the control of this act, including policy of this act, including
The depth of water table 25. The so far as it may be available, the tworks for the withdrawal of ground	ype, siwater win the reipa	n of the construction of the well, we a nand pump was installed. ize and depth of each well or the gene a coincon steel dashing with a natheration of each well if available	ils, or other works for wiral specifications of any other and pump to withdraw to 28 ft. gravel.
The depth of water table 25. "t So far as it may be available, the t works for the withdrawal of ground	ype, siwater win the reipa	ize and depth of each well or the generated and steel dashed with a national line of each well or the generated as in the steel dashed with a national steel dashed st	ral specifications of any other withdraw in the pump to withdraw in the pump to grave!
The depth of water table 25. "t So far as it may be available, the t works for the withdrawal of ground	ype, siwater win the reipa	ize and depth of each well or the generated and steel dashed with a national line of each well or the generated as in the steel dashed with a national steel dashed st	ills, or other works for wiral specifications of any other and pump to withdraw in the control of this act, including policy of this act, including
The depth of water table 25. It So far as it may be available, the t works for the withdrawal of ground	ype, siwater win the reipa	n of the construction of the well, we a nand pump was installed. ize and depth of each well or the gene a coincon steel dashing with a natheration of each well if available	ral specifications of any other withdraw in the pump to withdraw in the control of this act, including policy of this act, including

located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: dupileate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

- 3- 31

STATE OF MONDARA.

County of Themselves to within the strument of the second of the second of the strument of the second of the

office on the structure of close of the structure of the

Br Ityl Ricy

T...... 2 E

DUPLICATE

County Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

leorge J. Rauser	of Toston
Name of Appropriator	Address (Town)
County of groadwater	State of Sontana
dave appropriated groundwater accou	ording to the Montana laws in effect prior to January 1, 1962, as follows
	2. The beneficial use on which the claim is based.
	Stock & Domestic
X ·	3. Date or approximate date of earliest beneficial use; and how e
	tinuous the use has beenJanuary, 7, 1960.
=	
	4. The amount of groundwater claimed (in miner's inches or galloper minute)
S	5. If used for irrigation, give the acreage and description of the lar to which water has been applied and name of the owner there
d. 14 ME., Sec. 28., T5. M. R2E	
dicate point of appropriation	
id place of use, if possible, ich smail square represents 10 res.	6. The means of withdrawing such water from the ground and t
	location of each well or other means of withdrawal
	epletion of the construction of the well, wells, or other works for wi
drawal of groundwaterJan4,	epletion of the construction of the well, wells, or other works for with a Electric jetpump was installed.
. The depth of water table	ilectric jet pump with Laorse motor apletion of the construction of the well, wells, or other works for wi 300 a Electric jetpump was installed.
The depth of water table	epletion of the construction of the well, wells, or other works for with a Electric jetpump was installed.
The depth of water table	pletion of the construction of the well, wells, or other works for windown a Electric jetpump was installed. 12 ft. 12 ft. 12 ft. 13 ft. 14 ft. leep with 5 inch steel casir
The depth of water table	ilectric jet pump with inorse notor spletion of the construction of the well, wells, or other works for window a Electric jetpump was installed. 12 it. 12 it. 12 it. 13 it. 14 it. icep with 5 inch steel casir
The depth of water table	pletion of the construction of the well, wells, or other works for windown a Electric jetpump was installed. 12 ft. 12 ft. 12 ft. 13 ft. 14 ft. leep with 5 inch steel casir
drawal of groundwater. Jan. 4, 1. The depth of water table	ipletion of the construction of the well, wells, or other works for windown Electric jetpump was installed. 32 it. ype, size and depth of each well or the general specifications of any oth water. The well is 44 it. teep with 5 inch steel casir
The depth of water table	ipletion of the construction of the well, wells, or other works for wildow a Electric jetpump was installed. 12 it. 12 it. 13 ype, size and depth of each well or the general specifications of any other water. The well is 44 it. seep with a inch steel casir
The depth of water table	ipletion of the construction of the well, wells, or other works for windown Electric jetpump was installed. 32 it. ype, size and depth of each well or the general specifications of any other water. The well is 44 it. teep with 5 inch steel casir ter withdrawn each year. And a value of each well if available. It is 10 it gravel.
The depth of water table	pletion of the construction of the well, wells, or other works for wind a Electric jetpump was installed. 32 it. ype, size and depth of each well or the general specifications of any othwater. The well is 44 it. icep with 5 inch steel casir are withdrawn each year. (2007) years. per year in the drilling of each well if available. I to sit, gravel 27 it. ciay and some sand tight) je to with gravel & sand (very clean water) mature as may be useful in carrying out the policy of this act, including
The depth of water table	pletion of the construction of the well, wells, or other works for wind a Electric jetpump was installed. 32 it. ype, size and depth of each well or the general specifications of any othwater. The well is 44 it. icep with 5 inch steel casir are withdrawn each year. (2007) years. per year in the drilling of each well if available. I to sit, gravel 27 it. ciay and some sand tight) je to with gravel & sand (very clean water) mature as may be useful in carrying out the policy of this act, including
The depth of water table	repletion of the construction of the well, wells, or other works for without a Electric jetpump was installed. 32 it. ype, size and depth of each well or the general specifications of any other water. The well is 44 ft. teep with 5 inch steel casir are withdrawn each year. 1, 12, 10 gais. per year in the drilling of each well if available. 2 to 5 it. gravel 27 it. hardpan 4 clay 27 to 37 it. clay and some sand clint) le to 1 it. gravel & sand (very clean water) mature as may be useful in carrying out the policy of this act, including the record.
The depth of water table	pletion of the construction of the well, wells, or other works for with the construction of the well, wells, or other works for with the construction of the well instabled. 32 ft. ype, size and depth of each well or the general specifications of any other water. The well is 44 ft. teep with 5 inch steel casing the withdrawn each year (2000), 200 gais, per year in the drilling of each well if available. I be sit, gravel 27 ft. ciay and some sand cigns) letter withdrawn 4 ciay 27 to 37 ft. ciay and some sand cigns) letter in fravel 2 sand (very clean water) mature as may be useful in carrying out the policy of this act, including the record.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Juplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadrupilente for the Appropriator.

SPATE OF Manager Ss.

County of Long the within instrument we have been day of day of the coroler.

By collect Manager Property.

•

File No....

 144	300-4	F -F-	*141 E	`22 .	so ae	€1.	Heriaz.	Mornana—146

7____31__7__22

DUPLICATE

County incaninates

STATE OF MONTANA

	of Vested Groundwater R napter 237, Montana Session Laws, 1961	ights
Name of Appropriator	Address:	Town
have appropriated groundwater according	State of contana division of the Montana laws in effect prior	to January I, 1962, as follow
4.		
	2. The beneficial use on which the claim	
	3. Date or approximate date of earliest tinuous the use has been	
w	used continuousiy	
	4. The amount of groundwater claimed per minute) 20 (21 per minute)	<u></u>
<u> </u>	 If used for irrigation, give the acreas to which water has been applied ar 	id name of the owner there
Low Asec 25, To N R25.		***************************************
Indicate point of appropriation		
and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such we location of each well or other means	of withdrawal
	lectric jet pump 3 norse	
	oletion of the construction of the well, w	
drawal of groundwater		
S. The depth of water table 32	≟‱	
works for the withdrawal of grounds	pe, size and depth of each well or the generater	
Drillet.		
		The second of th
10. The estimated amount of groundwate	er withdrawn each yearL. 200, 200, 200	.sperguar
II. The log of formations encountered in	the drilling of each well if available	i to it it. Samur loam
reference to book and page of any co-	-	
		2 2
	Signature of Owner Gas	residentalista.
	·	42102

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Alpropriator.

STATE COUNTY OF STATE COUNTY OF STATE COUNTY OF STATE OF

I bore to $\cdots \mathbf{w}_{i,t-i}, \dots$ strumment 141 100 42 office on the 13

office of 13

A 2 11

A 2 11

A 2 11

Br Liety It Truly

DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shaie, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MOSTAL A WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana S	ession Laws, 1961, as amended)	Top of Ground	Elev. above sea level)
This form to be prepared by dr by the owner with the County C which the well is located, last co	iller, and three copies to be filed lerk and Recorder in the county in ppy to be retained by driller.	From To :Feet) :Feet)	
	r applicable, so state, otherwise the		
Owner #ALTER RAUSER) el.	ys and soils.
TOUTON AGAT.	For Administrators Use		ybound sands and ivels. Water at 10'
Address	File	25 27 Cle	vels. Water at 10' so send and vels.
Date well started 9/9/70	GW :		T.D. 27*
completed 9/10/70			
Type of well	Dug, driven, bored or drilled)		
equipment used Cable to	***		
Water Use: Dornestic Muni	cipal _ Stock _ (rrigation _		
Industrial 🔲 Drainage [☐ Other ☐* Garden: Lawn ☐		
*Describe			
USE: If used for irrigation, industrial state number of acres and leading to the control of t	istrial, drainage or other. Explain, ocation or other data (i.e. Lot, Block		
and Addition).	·····		
estimated annual withdraw.	AL		
Size of Size and From Drilled Weight (Feet) Hole of Caring	To PERFORATIONS		
6" 6 5/8" O	Kind From To Nize Feet) Feet)		
6" 6 5/8" 0 0.D.	271		
17# per ft.			
PO3 101			
N			
	Static water level		
	Pumping water level gailons per min	.tt. *	
	measuredminutes after pump	ping	
w E	pegan.		
	Measured from ground level We'l developed by		
	for electricurs. 1/3		
	Power Pump Pump Remarks: (Gravel packing, cementi		
	Riddle Pe Pay Whiteoff		
	full depth outside of		
N.R. Sec. S. E. N.R. Sec. S. E. T. E	casing.	****	
\$ W	•		
NDICATE LOCATION OF WELL A	AND PLACE OF USE, IF POSSIBLE.		
Dritler's Signature			
Driller's Address			
	LICENSE NO	27 • Sho	w exact depth of bottom
	LICENSE NO		

78 801

Form No. 15 9-60 County Proadwater MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana RESPONDING PROPERTY Water Well Log Owner Horse Lauser Address Coston Driller Prescott Address Relgrade Date Started_______Date Completed_____ Location: Sec. 23 [. 58 R. 23 $\frac{1}{4}$ sec. $52\frac{1}{2}$ 3W= Equipment used irill Type of well (Dug, driven, boret, or drilled) (Churn, irill, rotary, other) Municipal ____ Water use: Domestic ____ Stock ___ Irrigation ___ Industrial Drainage ____ Other____ Casing: n ft. to 35 ft. Type Steel Size of Casing: ft. to ft. Type Size Casing: ____ft. to ____ft. Type ____Size____ Type of screen or perforations Shut-in pressure, for flowing well: _____lb./sq. in. on:_____(Enter Pumping water level 32 feet at 29 gal. per min. How tested:____ Length of test_ Remarks: (Gravel packing, cementing, packers, type of shut-off, depth of shut-off)

(over)

Log of Well

D	8	
From	feet To	Description of Material Drilled
.5	20	Sandyloam
<u>1.6</u>	35	Sant & gravel
	 	
	 	
·		
	ļ	
	<u> </u>	
	-	
	 	
 		
	 	

Form No. 18 8-00

Ţ	211		_2 <u>:</u>	
Courty_	Eroad	vater		

MONTAXA BUREAU OF MINES AND GEOLOGY Butte, Montana

	- - -	
Water Well Log		and the second
)wner morre ause-	Add ress Tostor	<u> </u>
5 Driller 1 30 3 cm		
Date Started on 7513	Date Completed ct.	1913
Location: Sec. 12 I. 5		
Type of well	nt used inili (Churn, irill, rotary, c	other)
Water use: Domestic Municipal		
Industrial Drainage Casing: ft. to 25 ft. Type		
Casing:ft. toft. Type	ši z e	
Casing:ft. toft. [ype	Size	
Perforated or screened: ftto ft	Ftto ft	
Type of screen or perforations		
Static water Level, for non-flowing well:		
Shut-in pressure, for flowing well:	_lb./sq. in. on:	
Pumping water level of feet at 3	gal. per min	
Length of test		
tengen of tes C		
Remarks: (Gravel packing, Cementing, packers shut-off)	, type of shut-off, depth	οř
(over)		

Log of Well

307011		
Depth, f	Го	Description of Material Drilled
`	1á	Sand Toam
<u>1</u> 6	32	Sand & Pravel
32	23	ипьтомп

Ι		_R	22	
County	Froai	vater		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

Water Well Log

Owner Seorge - Pauser	Address Toston
X Driller Drice & Lindsey	
	Date Completed Jan. 1959
Location: Sec. 2: I. sv	
Type of well Defined Equipme (Oug, driven, bored, or drilled)	nt used inil
Water use: Domestic Municipal	
Industrial Drainage	0ther
Casing: ft. to 25 ft. Type	Steel Size o"
Casing:ft. toft. Type_	Si z e
Casing:ft. toft. Type	5ize
Perforated or screened: Ftto ft	. Ft. to it.
Type of screen or perforations	
Static water level, for non-flowing well:	reet.
Shut-in pressure, for flowing well:	lb./sq. in. on: (tate,
Pumping water level 25 feet at 23	gal. per min
How tested:	
Length of test	
Remarks: (Gravel packing, cementing, packers shut_off)	, type of shut-off, depth of
(over)	

File No.

G*

T yn R

Amminiscal Stock From Ashing Committing Color Release, Montellaga-APDI 🛣 💎 😅

DUPLICATE

STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights Under Chapter 237, Montana Session Laws, 1961)

1. Maurice J. Ferrat (Name of Appropriator)	. of	Address	Poston	(Town)
County of Broadseter		e of Mont		
have appropriated groundwater accordi	ng to the Montana	laws in effect pr	rior to January	r I. 1962 as follows
N N	2. The beneficial	use on which the	elaim is based	
		4 stock use		
	3. Date or appro	ximate date of ea	rliest beneficia	I use; and how conti
	ons the use ha	is been	irly 1900-n	ot used in recen
Ψ Ε	years			
	4. The amount	oi groundwater (laimed in m	iner's inches or gall
	per minute) .	W/1		
×				
s	to which wat	er has been app	lied and name	description of the last e of the owner ther
14 Sec.29 T. 5N RZ	*** *** *** ****	R/A		
Indicate point of appropriation				The second section of the second second
and place of use, if possible. Each small square represents 10 acres.		withdrawing suc- ell or other means		he ground and the lo

	ly 1900			
	rpe, size and depth	of each well or	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of lt pipe	ppe, size and depth	of each well or	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of lt pipe	rpe, size and depth ater r withdrawn each yeach the drilling of each	of each well or the same ar not in us well if available	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of 1t pipe. 10. The estimated amount of groundwater. 11. The log of formations encountered in	rpe, size and depth iter r withdrawn each ye the drilling of each	of each well or the same ar not in us well if available	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of 1t pipe. 10. The estimated amount of groundwater. 11. The log of formations encountered in	rpe, size and depth ater r withdrawn each yeach the drilling of each	of each well or the same ar not in us well if available	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of 1t pipe 10. The estimated amount of groundwater 11. The log of formations encountered in	rpe, size and depth ter r withdrawn each ye the drilling of each none availa	of each well or the same of a same of the	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of lt pipe. 10. The estimated amount of groundwater. 11. The log of formations encountered in reference to book and page of any cost.	rpe, size and depth ter r withdrawn each ye the drilling of each none availa	of each well or the armost in use well if available ble	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa. 25 feet of lt pipe 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any contact.	rpe, size and depth ter r withdrawn each ye the drilling of each none availa	of each well or the control of each well of available ble	he general sp	ecifications of any ot
9. So far as it may be available, the ty works for the withdrawal of groundwa. 25 feet of lt pipe 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any cost	rpe, size and depth ter r withdrawn each ye the drilling of each none availa	of each well or the same of in use well if available ble marrying N/A	out the police	at
9. So far as it may be available, the ty works for the withdrawal of groundwa. 25 feet of lt pipe 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any cost	rpe, size and depth ter r withdrawn each ye the drilling of each none availa	of each well or the same of in use well if available ble marrying N/A	out the police	at
9. So far as it may be available, the ty works for the withdrawal of groundwa. 25 feet of lt pipe 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any cost	r withdrawn each ye the drilling of each none avails	of each well or the armost in use well if available ble with in carrying N/A	out the police.	ecifications of any of any of this act, included as 1963
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of lt pipe. 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any coal	rpe, size and depth ter r withdrawn each ye the drilling of each none availa mature as may be us may record Sign	of each well or the service well is available ble stul in carrying N/A ature of Owner like Resorder of the	out the police of the period of the police of the period of the police of the period o	ecifications of any of any of this act, included as 1963
9. So far as it may be available, the ty works for the withdrawal of groundwa 25 feet of lt pipe. 10. The estimated amount of groundwater 11. The log of formations encountered in reference to book and page of any cost. Three copies to be filled by the owner with the copies to be filled by the c	rpe, size and depth ter r withdrawn each ye the drilling of each none avails nature as may be as inty record Sign the County Clerk and	of each well or the armond in well if available ble efful in carrying N/A attre of Owner is Resorder of the section form will be the form will	out the police of the county in a secreturned.	ecifications of any of any of this act, included the well is local

STATE OF MOVE Publications

Country of Broad water.

I introduction that the within instrument was made for record in monifice on the man A.D. 1962, at min. past the publication of the man and the min. Past the m

By

`•

Log of Well

	Log of Well					
Depth, From	řeet To	Description of Material Drilled				
·	D	`Lay				
5	່ມ	Hardpan				
10	15	Sand gravel				
15	29.	Grave:				
	+					

File No.....

T5N R 2E

DUPLICATE

County Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Notice of Completion of Groundwater Appropriation Without Well

(Under Chapter 237 Montana Session Laws, 1961)

	Date of Appropriation of Groundwater 18.70
	Owner Maurice first rediress toston
	, ,
	Contractor (if any)
	Address of Contractor
	Date Started NA Date Completed NA
У	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable Subject form has
	a water table which well
	fluctuate som 1 to 2 feet in
Ψ Ε	
	The dust season
	Quantity of water developed and used with explanation of method
	used to measure or estimate such amount. If use is intermittent
s	estimate approximate lengths of periods of use
See 1/4 See 34 . T5N R2 E	Sub-ingetion and stock water
Indicate point of appropriation and place of use, if possible.	
swly see 29	
SELy sec 30	
White NE & See 31	Signature of Owner Maurice Ferrat
all in TSN RZE	•
wa I JN II x -	Date Dac 31, 1963

This form to be prepared by contractor (if any), otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology and Quadruplicate for the Appropriator.

13750

Strong Man Strong Stron

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

			ANZIK of (Address) (Town)
C	county of BRCA	DWATER	State of MONTANA ig to the Montana laws in effect prior to January 1, 1962, as follow
h	ave appropriated grou	ndwater accordin	ig to the Montana laws in effect prior to January 1, 1962, as follow
	N		
Г			2. The beneficial use on which the claim is based
1.			STOCK WATER
			9.10.5 N 17.7 F.E. N
-			3. Date or approximate date of earliest beneficial use; and how com-
			ous the use has been Un KNOWN
	:		
-		F	The state of the s
l			4. The amount of groundwater claimed (in miner's inches or ga
ŀ			per minute) 100 14che5
t	×	•	and the second for the second
L			5. If used for irrigation, give the acreage and description of the little which water has been applied and name of the owner the
			to water water has been applied and hame of the owner and
1	14 Sec. 30 T. SN	R A F	
٠,	•		
o.	icate point of appropriate of use, if possible	priation - Fash	
na	ill square represents 10	0 aeres.	6. The means of withdrawing such water from the ground and the
	•		tion of each well or other means of withdrawal
			Gravity tue Dur DS
7.	drawal of groundwate	ecement and comp	
-	drawal of groundwate	er 	no-6
3.	The depth of water ta	ble Uh Karailable, the typ	nous home and depth of each well or the general specifications of any
3.	The depth of water ta	ble Uh Karailable, the typ	neu h pe, size and depth of each well or the general specifications of any of
3.	The depth of water ta	ble Uh Karaniable, the typ	nous home and depth of each well or the general specifications of any o
3.	The depth of water ta	ble Uh Karaniable, the typ	neu h pe, size and depth of each well or the general specifications of any of
3.	The depth of water ta	ble Uh Karaniable, the typ	noun
3 . 9.	The depth of water ta So far as it may be works for the withdraw	ble Uh K available, the typ	noun hour mounts for the well, wells, or other works for the noun hour hour hour hour hour hour hour hour
3 . 9.	The depth of water ta So far as it may be works for the withdraw	ble Uh K available, the typ	noun hour mounts for the well, wells, or other works for the noun hour hour hour hour hour hour hour hour
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount	ble Uh K available, the typ wal of groundwate	noun hours for well, wells, or other works for a noun hours and hours and depth of each well or the general specifications of any or in the second specification specifications of any or in the second specification specification specifications of any or in the second specification specification specification specification specifications of any or in the second specification specific
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations	ble Uh K available, the typ wal of groundwate	noun mindrawn each year noun noun noun mindrawn each year noun no
3. 3.	The depth of water ta So far as it may be works for the withdraw The estimated amount	ble Uh K available, the typ wal of groundwate	noun hours for well, wells, or other works for works for whom hour hours and depth of each well or the general specifications of any other hours for the wells, or other works for whom he wells,
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations	ble Uh K available, the typ wal of groundwate	noun hour mounts for well, wells, or other works for a noun hour hour hour hour works for a nount hour hour hour hour hour hour hour hour
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations	ble. Uh K. available, the typwal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a now had been size and depth of each well or the general specifications of any of each well are now had no
).).	The depth of water ta So far as it may be works for the withdraw. The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	noun
3. 3.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a nound in an inclusion of the well, wells, or other works for a nound in a
3. 9.	The depth of water ta So far as it may be works for the withdraw. The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a nounce of the person of the general specifications of any other withdrawn each year MAK nounce of the drilling of each well if available MATTILLED.
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a nounce of the person of the general specifications of any other withdrawn each year MAK nounce of the drilling of each well if available MATTILLED.
3. 9.	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a nounce of the person of the general specifications of any other withdrawn each year MAK nounce of the drilling of each well if available MATTILLED.
9. 0. 1 .	The depth of water ta So far as it may be works for the withdraw The estimated amount The log of formations Such other information	ble. Uh k available, the typ wal of groundwater of groundwater encountered in the	pletion of the construction of the well, wells, or other works for a nound in an inclusion of the well, wells, or other works for a nound in a

Please answer all questions. If not applicable, so stare, otherwise the form will be returned.

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Tripideate to the Montona Buresu of Mines and Geology, and Quadruplicate for the Appropriator /8768

72375

Lin There Times

File No.....

T SN B BE

DUPLICATE STATE OF MONTANA

ADMINISTRATOR OF GROUNDWATER CODE
OFFICE OF STATE ENGINEER

A 3 1884 W AGINEER

Declaration of Vested Groundwater Rights

Under Chapter 237, Montana Session Laws, 1961.)

ciffe for processing will.	<i>1</i> S	of TES/EF
Name of Appropriator		Address: (Town) State of Mini Train
County of Ste 10101	amilian to the	he Montana laws in effect prior to January 1, 1962, as follow
mase ab to that a tradition and a dece	seams to a	ne Montana taws in effect proof to January 1, 1962, as fellow
[*	2. The b	beneficial use on which the claim is based 320 come
1 1 1 X X X	Su	1- inigated
	3. Date	or approximate date of earliest beneficial use; and how co
A. X. X. X		ous the use has been
Z X X X		
XXXX	1 771	
XXXX		amount of groundwater elaimed (in miner's inches or gallo
X X XX		
XXX	5. If us	ed for irrigation, give the acreage and description of the lan
5	w of	high water has been applied and name of the owner there
v a m o	17.00	in the enregale 300 Feres for good
14 Sec T R.		
licate point of appropriation d place of use, it possible.		
ch small square represents 10	6. The	means of withdrawing such water from the ground and t
res.	locat	ion of each well co other means of withdrawal

		the construction of the well, wells, or other works for wi
drawal of groundwater		
The depth of water table. So far as it may be available, the	type, size an	of depth of each well or the general specifications of any other
The depth of water table. So far as it may be available, the	type, size an	11th 4 peel Jun surface
The depth of water table. So far as it may be available, the	type, size an	of depth of each well or the general specifications of any other
The depth of water table. So far as it may be available, the	type, size an	of depth of each well or the general specifications of any other
The depth of water table. So far as it may be available, the works for the withdrawal of ground	type, size an	of depth of each well or the general specifications of any other
The depth of water table. So far as it may be available, the works for the withdrawal of ground	type, size an	of depth of each well or the general specifications of any other
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered.	type, size and dwater.	wn each well if available.
The depth of water table. The solution of groundwater works for the withdrawal of groundwater water table. The estimated amount of groundwater water table.	type, size and dwater withdra in the drilli	wn each well if available
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered.	type, size and dwater withdrawin the drilli	wn each well if available
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered.	type, size and dwater withdrawin the drilling	wn each year
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered. Such other information of a similar.	type, size and dwater withdrawin the drilling	wn each year
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered. Such other information of a similar reference to book and page of any of the stable.	type, size and dwater withdrawin the drilling	wn each year
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered. Such other information of a similar reference to book and page of any of the stable.	type, size and dwater withdrawin the drilling	wn each year
The depth of water table. So far as it may be available, the works for the withdrawal of ground. The estimated amount of groundwa. The log of formations encountered. Such other information of a similar reference to book and page of any of the stable.	type, size and dwater withdrawin the drilling	wn each year

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

The condition of the co

١.

File No....

T 5 N R 2 East

DUPLICATE

County Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

(Under Chapter 237, Montana Session Laws, 1961)

Junior E. Lewis	5	of	∴.∃.D.	· · · · · · · · · · · · · · · · · · ·	Poston	
Name of Appropriator			Address		$\pi_{\mathbf{O}}\mathbf{T}$	
County of Drandwaler	 12	State	Mon	ıtana		
have appropriated groundwater accord	ung	to the Montana	iaws in effect	prior to	January I. 1962	. as follows
N						
	<u>-)</u> .	The beneficial us	e on which the	elaim is	baseddomes	tic use
	3.	Date or approxi				
		tinuous the use		_		
z						
	4.	The amount of	groundwater el	aimed (i	in miner's inche	s or gallon
		per minute)				
		***************************************	************			************
	_					
	ā.	If used for irrigato which water	ition, give the	acreage:	and description	of the land
•						
14 Sec.30. T.5N R.2East						
cate point of appropriation place of use, if possible.						
i small square represents 10	б.	The means of v	vithdrawing su	ch water	r from the Srot	ind and th
					& mishdanama 1 10	117070
3.		location of each				-
The date of commencement and compl	letior	of the construc	etion of the w	eli, well:	s, or other Worl	s for wit
The date of commencement and completenation of groundwaterJune. 10.,	letior 194	of the construction of the June 1	ction of the w	eil, well:	s, or other Worl	s for wit
The date of commencement and completawal of groundwater. June 10.	letior 194	of the construction of the June 1	etion of the w	ell. well.	s, or other Worl	ts for wit
The date of commencement and completawal of groundwater. June. 10. The depth of water table	letior 194 Lt.	of the construction of the June 1	etion of the words, 1946.	ell. well:	s, or other Worl	s for wit
The date of commencement and complete drawal of groundwater	letior 194 ft.	ze and depth of	etion of the words. 5. 1946 each well or the the case	ed, wells	s, or other work al specifications of	s for wit
The date of commencement and completawal of groundwater. June. 10. The depth of water table	letior 194 ft.	ze and depth of	etion of the words. 5. 1946 each well or the the case	ed, wells	s, or other Worl	of any oth
The date of commencement and complete drawal of groundwater	letior 194 ft.	ze and depth of	etion of the words. 5. 1946 each well or the the case	ed, wells	s, or other work al specifications of	of any oth
The date of commencement and complete drawal of groundwater	letior 194 ft.	ze and depth of	etion of the words. 5. 1946 each well or the the case	ed, wells	s, or other work al specifications of	of any oth
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	194 ft.	ze and depth of	etion of the words, 1946	ell, wells	s, or other work Il specifications 25 ft dee	of any oth
The date of commencement and complete drawal of groundwater	194 ft.	ze and depth of	etion of the words, 1946	ell, wells	s, or other work Il specifications 25 ft dee	of any oth
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft.	ze and depth of the in. hole,	etion of the words, 1946. each well or the tall the case care done	ell. well: e genera	s, or other work I specifications 25 ft. Qee	s for wit
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft.	ze and depth of the in. hole,	etion of the words, 1946. each well or the land case care done well if availa	ell. well: e genera	s, or other work I specifications 25 ft Qee	s for wit
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft.	ze and depth of the in. hole,	etion of the words, 1946. each well or the land case care done well if availa	ell. well: e genera	s, or other work al specifications of the dec	s for wit
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft.	ze and depth of the in-hole, thirdrawn each year drilling of each	etion of the words, 1946. each well or the land case care done well if availa	edd. wells e genera sing s	s, or other work al specifications of the dec	s for wit
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ft. with the vel.	ze and depth of the in-hole, thirdrawn each year drilling of each took as may be useful	each well or the well if availa and grave	ell. well. e genera sing : hestic	s, or other work al specifications of the deep	t, incdi
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ee, si the ture	ze and depth of the in. hole, third awn each your drilling of each some as may be usefurecord.	each well or the well if availa and grave	ell. well. e genera sing : hestic	s, or other work al specifications of the deep	t, incurding
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ee, si the ture	ze and depth of the in. hole, third awn each your drilling of each as may be usefurecord.	each well or the well if availa and grave	ell. well. e genera sing : hestic	s, or other work al specifications of the deep	t, incdi
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ee, si the ture	ze and depth of the in. hole, third awn each your drilling of each as may be usefurecord.	each well or the well if availa and grave	ell. well. e genera sing : hestic	s, or other work al specifications of the deep	t, incdi
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ee, si the ture	ze and depth of the in hole, the drawn each year drilling of each as may be usefurecord.	each well or the well if availa and grave	ell. wells e genera sing s ble	s, or other work al specifications of the deep	t, incurding
The date of commencement and complete drawal of groundwater. June 10. The depth of water table	ft. ee, si the ture	ze and depth of the in hole, the drawn each year drilling of each as may be usefurecord.	each well or the well if availa and grave	ell. wells e genera sing s ble	s, or other work al specifications of the deep	t, incurding

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

69212 State State Deputy.

File No.....

T. 5 N. R. 2 East

DUPLICATE

County....Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

Junior I. Lewis		ofF.J.	Toston
Name of Appropriator		Address	Town)
County of Broadwater		State of Montana	
have appropriated groundwater acco	rding	to the Montana laws in effect prior to Janu	dary 1, 1962, as follows
v			
	<u>.</u>	The beneficial use on which the claim is bas	e-1
		donestic use	
	3.	Date or approximate date of earliest benefi	
		tinuous the use has been 43rch 10,19	
			•
	4.	The amount of groundwater claimed (in m	
		per minute) 20 gal. per min	
		***************************************	The state of the s
	5.	If used for irrigation, give the acreage and	description of the lan
\$		to which water has been applied and nam	e of the owner there
4 See 30. T 5N R 2			
ate point of appropriation			
place of use, if possible, small square represents 10	ó.	The means of withdrawing such water fro	om the ground and t
h			
		location of each well or other means of wi	indrawai <u>piump</u>
		on of the construction of the well, wells, or	other works for wit
drawal of groundwater March 8.1	[94.7	on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
drawal of groundwater March 8.1	[94.7	on of the construction of the well, wells, or to Aarch 10.1347	other works for wit
Irawal of groundwater March 8.1 The depth of water table25 25		on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
The depth of water table	(94.7 De. s	on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
The depth of water table	pe. s water	on of the construction of the well, wells, or to Aarch 10,1347	other works for wi
The depth of water table 25 ft. So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casi	pe. s water	to Aarch 10.1347 size and depth of each well or the general specific.	other works for wi
The depth of water table	pe. s water	on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
The depth of water table 25 ft. So far as it may be available, the tyworks for the withdrawal of grounds	pe. s water	on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
The depth of water table 25 ft. So far as it may be available, the tyworks for the withdrawal of grounds 6 in hole, 6 in cast	pe. s water	on of the construction of the well, wells, or to Aarch 10.1347	other works for wi
The depth of water table	pe. s water mgy	on of the construction of the well, wells, or to Aarch 10.1347 size and depth of each well or the general specific fit. deep	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6. In hole, 6 in casi	pe. swater	on of the construction of the well, wells, or to Aarch 10,1347 size and depth of each well or the general special of the deep ithdrawn each year	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6. In hole, 6 in casi	pe. swater in the rel,	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general specific deep ithdrawn each year	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casion for the estimated amount of groundwaters of formations encountered in Soft 5 ft., Clay and gray	pe. swater Gy er win the	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general special of the deep ithdrawn each year	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casi The estimated amount of groundwate The log of formations encountered in 3005 ft., Clay and gray	pe. swater with the rel ,	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general specific fit. deep ithdrawn each year	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in cast The estimated amount of groundwate The log of formations encountered in 3015 ft., Clay and grav Such other information of a similar reference to book and page of any co	pe. swater of the wind the rel ,	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general specific fit. deep ithdrawn each year	other works for wi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casi The estimated amount of groundwate The log of formations encountered in 3005 ft., Clay and gray	pe. swater of the wind the rel ,	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general special of the deep ithdrawn each year	other works for with
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casi The estimated amount of groundwate The log of formations encountered in 3015 ft., Clay and gray Such other information of a similar of reference to book and page of any co	pe. swater of the wind the rel ,	on of the construction of the well, wells, or to Aarch 10,1347 size and depth of each well or the general special to the general special thing are each year	other works for with the selfications of any other works for which the selfication will be selfication with the selfication will be selfi
The depth of water table 25 25 So far as it may be available, the ty works for the withdrawal of grounds 6 in hole, 6 in casi The estimated amount of groundwate The log of formations encountered in 3015 ft., Clay and gray Such other information of a similar reference to book and page of any co	pe. swater of the wind the rel ,	on of the construction of the well, wells, or to March 10,1347 size and depth of each well or the general special of the deep ithdrawn each year	other works for wi

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned,

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

64271

October 31. 7 10 au Stine Settem Stine Cettem Stine

T	SN	R.	SE	
County	y 3:ros	deste		

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG

	Owner	arah Melini	<u>lan</u>	**************************************	. AddressT	oston, Kon	tana
X	Driller	Vandilo	a		Address	Wanhattan,	Montana
	Date Started	May 194	8		. Date Comp	leted	1948
	Location: Sec	: 30 1	<u> </u>	R25. 14	sec	M [†] IM [†]	······································
Type of well	Dug, driven, bor	ed, or drilled)	Equip	ment used	Churn	drill, rotary, oth	er¹
Water use: Domestic		Municipal		Stock		Irrigation	
Industrial		Drainage		Other:			
Casing: 6"	ft. to	Mayrft.	Туре		Size		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Casing:	ft. to	ft.	Туре	.,	Size	******************	
Casing:	ft. to		Туре		Size		
Perforated or Screened	l: Ft	to ft		Ft		to ft	
Type of screen or perfor	rations				***************************************	·····	
Static Water level, for n	ion-flowing we	ll:41 from	top				feet
Shut-in pressure, for flo	owing well:		I	b. sq. in. on:		(date)	
Pumping water level		toplee	tat	20	gai.	per min	
How tested:	14NH1 P				# ************************************		······································
Length of test.	12 hrs.	***************************************	······································				
Remarks: (Gravel pac	king, cementi:	ng, packers.	type of shu	t-off, depth	of shut-off)		
no shut of	Liron-cap	it top					
	, .,,.						
	,	*** *************************					
				*************		·····	
			- if the company	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		· · · · · · · · · · · · · · · · · · ·	
•			(over)				

		Log of Well
Depth	ı, feet	
From	To	Description of Material Drilled
0	5	
5	40	gravel
3	4U	S.Caret
		

٠-

T	511	R	.22		
Cour	ityBroa	dyster	·	•••	

MONTANA BUREAU OF MINES AND GEOLOGY Butte, Montana

WATER WELL LOG

!					
X	OwnerSarah F	olkillan	Add	ressTosten, Hor	tens
	Driller	niels	Add	ress Hills-Sulph	r-Spys-, Hent
	Date Started	Nexo -1946	Dat	e CompletedJan	1946
	Location: Sec	0T511 R	3% ¼ sec	a Lini	
Type of wellD	rilled (Dug, driven, bored, or	Equipmedruled,	ent used	Churn drill, rotary, oth	er)
Water use: Domestic	Mu	nicipal	Stock 🔽	Irrigation	
Industrial	Dr	ninage	Other:		
Casing: 4"	ft. to allway	ft. Type	Si	ze	
Casing:	ft. to	ft Type	s	ze	
Casing:	.ft. to	ft. Type	S	ize.	**********
Perforated or Screened	: Ft25	;. to ft	Ft	to ft	
Type of screen or perfor	ations	none			
Static Water level, for n	on-flowing well:	44 from top		; * * * * * * * * * * * * * * * * * * *	feet.
Shut-in pressure, for flo	wing well:	lb . :	q. in. en:	(date)	
Pumping water level	81 from top	feet at	20	` '	
How tested:					******
Length of test		12 hre.	***************************************	· ······	
Remarks: (Gravel pac	king, cementing, pa	ckers, type of shut-	off, depth of sh	ut-off)	
no shut o	Ef.c.mented.at.t	op		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	***************************************
					•••••

			,		
•		(over)			

Log of Well							
Depth, feet							
From	То	Description of Material Drilled					
0	5	sol:					
5	25	gravel					
		:					

St.	Approved Stock Form - water Printesting Co., Helma, Momant - 2214
File No	T 5 MR 3 5
DUPLICATE	County Base Service Take
AD	STATE OF MONTANA MINISTRATOR OF GROUNDWATER CODE
A.D.	OFFICE OF STATE ENGINEER
Doclarati	on of Vested Groundwater Rights GINEER
	on of Vested Groundwater Rights GINEER ler Chapter 237, Montana Session Laws, 1961)
1. Edward K. (Name of Appropri	
County of have appropriated groundwater a	State of
N N	2. The beneficial use on which the claim is based Stockwater (3)
	3. Date or approximate date of earliest beneficial use; and how continuous the use has been Priox to 1147 exact date.
W	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) 102 52/10 per minute 2
NEX WASE	5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof
SEL Sec. LATENREE	Edward K. Cannad
Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.	6. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal Both well:
drawal of groundwater	d completion of the construction of the well, wells, or other works for with
	Norman (Natural Control Contro
3. The depth of water table	man reproduction action with the discussion
 So far as it may be available, works for the withdrawal of group 	the type, size and depth of each well or the general specifications of any other undwater
west is -	undwater 135 - Laing be well as flow 75-1 Laing be well as flow
	man we consider the second of
10. The estimated amount of ground	traces are productive as a constant of the season of the season are season are withdrawn each year our season of the season of t
II. The log of formations encountered	ed in the drilling of each well if available
" " "	werd along with class Change 20-55 soft home Shing
12. Such other information of a sin	nilar nature as may be useful in carrying out the policy of this act, including ay county record Reference Disas to Well 165 211
	Signature of Owner Council K. Carrad
	Date Size 20 1963

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; Duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

File No.

DUPLICATE

TSNR SE County Bresawater

Approved to us 6 mm. State Forth-state Co., Helema, Montane—4921.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights GINEER

Under Chapter 237. Montana Session Laws, 1961)

Co ha	ounty of	me of Apr	2 2 2 2 Y			Address)	Ţ., 5	Town:	
_		groundwa	ter accordin	g to the Mo	State of	<i>1</i> 74 .			lows:
	x		M			on which the claim			
 - -		i	E	ous the i	use has be	ate date of earliest een Valance liken. User	متو	3	France
					_	roundwater elaime			-
ر د ر		estion c	to lange	o which	i water l	ition, give the acre	ind name of t	he own er	thereoi
	½ Sec. 3		SE /	70 16	1016 Ch	164 hast.	"Htteri . Op	12 6 2.	sketch
ind ;	eate point of a place of use, if po I square represen	ossible. Ea	ch	5. The mea	ns of wit	hdrawing such water or other means of w	er from the gro	und and t	hodoca-
•	drawal of groun	idwater	762	eld is all que	å	ion of the well.			
3. ·	The depth of was	ter table		12	₹\$	spring dre	e: to b		
9. :		y be availa	ible, the typ	e, size and o	depth of e	each well or the ge			
				# this a			***************************************	·	
.0.	The estimated ar	mount of g	roundwater	withdrawn e	ach year	Ankro	mn depend		neisture ev L-Ebic
1.	The log of form:	itions encor	untered in th	ie drilling of	each wel	l if available		-	
	• • • • • •	·					· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
12.	Such other infor reference to book	miation of t and page	a similar na of any coun	ture as may	be useful	in_earrying; out	the policy of t	his aet. in	.eluding
١									,
				•		>	duard H Free 30	· · · · · · · · · · · · · · · · · · ·	Q.

Three copies to be filled by the owner with the County Clerk and Recorder of the county in which the well is located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned,

Original to the County Clerk and Recorder: Duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Goology, and Quadruplicate for the Appropriator. 18561

So The color of th By ... Leptive

70303	
	٠ يون ت

T5N	. PE	
County Broa	dwater	

STATE ENGINEER BUTER CONTAINS AND GEOLOGY

WATER VELL LOG

		Owner	Edward Com	red		Address	Toston, Montana	
31	1	Driller Pri	ce & Linds	e.y		Address	Clancy	
		Date Started	Feb & 19	58		Date Com	pleted Feb 12 1958	
×		Location: Sec.	31 T.	5N	R 25 14	sec SWISE	<u> </u>	
Type of well	Dr	CDug. driven, bore	of or drilled	Equip	ment used	Churra	drill, rotary, other)	
Water uze:	Dimestic		M unicipal		Stock	x	Irrigation	
I	ndustrial		Drainage		Other:			
Casing:	4	ft. to 125	ft.	Type st	Gel.	Size 6	r1	
Casing:		ft. to	ft.	Туре	· · · · · · · · · · · · · · · · · · ·	Size		
Casing:	***	ft. to	ft.	Туре		Size		
Perforated or	Screened	l: b't	to ft		Ft	. a terres	to ft	
Type of screes	n or perfor	rations	*******		en gya orozonia en na		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Static Water	level, for n	ion-flowing well			*	, e : - : - : - : - : - : - : - : - : - :		feet
Shut-in press	ure, for flo	owing well:	********************	I	b. sq. in. on I.		(date)	. ***
Pumping wat	er level		feet	at	15 to 2	0 ga	al. per min	
Length of test	t		*************		*. *** *	··· ··· ··· ··· ·· · · · · · · · · · ·		
Remarks: (C	iravel pac	king, cementin	g. packers, t	Lype of shit	at-off, depth	of shut-Off	n	
art	esian w	ater well						
***************************************		•••••		- ,	·		ennis vertisere film i ge ntiseve in Ois v	
- B B B B B B B B B B B B B B B B B B B	***************************************	**************************			. , , , , , , , , , , , , , , , , , , ,		annia, jamena, pominia, pom inia, pominia, po minia, pominia, pominia, pominia, pominia, pominia, pominia, pominia	
	**	~~~~~~~~~~	** * · · · · · · · · · · · · · · · · ·	w _ #1170,y1799994 w W /	~	*****************		
		***************************************			×			
***************************************		********						

Log of Well

Log of Well					
Dept	h. feet	Decembring of Maragini Drillad			
From	To	Description of Material Drilled			
- 					
	6	_Ptt			
•					
6	8	gravel 2 clay			
8	20	blue clay			
00		as At James all am			
_20	55	soft brown clay			
55	83	sandy-clay			
					
83	90	running sand & gravel-gravel sand runs very bad			
90	128	sandy & silty clay			
100	100				
128	129	gravel & sand (artesian water)			
	·				
	· · · · · · · · · · · · · · · · · · ·				

Form No. 18 8-00	Γ			R. <u>27</u>	
	Count	y <u> </u>	advate		
MONTANA SUREAU OF M Butte, Mo		GECLOG	Y		
Water Wel	l Log			STATE E	NG:NEE
Owner learge . Rauser		Addre	:55	Toston	
3 Driller Walter Riddock	·	Addre	ss	Felena	
Date Started Feb. 13, 195	4	Date	Compl	eted_ 7eb.	15,1954
Location: Sec. 32 I.	R.	27	_ 1 se	e. "3 <u>2</u> 33 <u>2</u>	
Type or well Prilled Eq (Oug, driven, bored, or drilled)	uipment	used	(Chure	, irill, rotary,	, other)
Water use: Domestic Municipal	 Sto	ock	Irr	igation _	-
Industrial Drainage		ne r			
Casing:ft. to35ft. I	ype <u> </u>	e <u> </u>	Siz	se 5"	
Casing:ft. toft. I	ype		Siz	ze	
Casing:ft. toft. I	ype		Siz	ze	
Perforated or screened: Ft. to ft	•	. Ft		_to it	
Type of screen or perforations	· · · · · · · · · · · · · · · · · · ·				
Static water level, for non-flowing well	:				reet.
Shut-in pressure, for flowing well:	1b	o./sq. i	in. or	1:	
Pumping water level 27 feet at					
How tested:					
Length of test					
Remarks: (Gravel packing, dementing, pashut-off)				-orr, dept	h of
	·				
					

(over)

Log of Well

Depth, reet From To		
rom	То	Description of Material Drilled
)	5	Sanir Loan
ე	20	Pravel and clay
27	35	Sand A gravel
		

T R ZE

Nomero i Sick Flow State Curusming Co. Helena. Mortani—41921 - a = -a2

DUPLICATE

Conner Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

·Under Chapter 237. Montana Session Laws, 1961)

Name of Appropriator	, or	Address	Teston (Town)
County of Broadwater have appropriated groundwater according	State of State of Ing to the Morranc laws in	Montana a effect prior to Ja	muary 1, 1962, as follows:
N N	2. The beneficial use on		
	house, garden a	TO TIMESFOCK M	EGGT.
x	• • • • • • • • • • • • • • • • • • • •		eficial use: and how continu
Σ	#1. well-#2 well	not in use si	been continuous ace 1945
		ndwater claimed	in miner's inches or gallon
	5. If used for irrigation	a, give the acreage	and description of the land name of the owner thereo
•		* -	
Ef 14 Sec 32 T. 5N B. ZE			
Indicate point of appropriation			
and place of use, if possible. Each small square represents 10 acres.	 The means of withdr tion of each well or o 	•	rom the ground and the local
	has electric pres	sure system.	#2 well is not
•	proximately 1917	of the well, wel	
S. The depth of water table varies ?			
So far as it may be available, the ty	ype, size and depth of each	well or the gener	ai specifications of any othe
	ppe, size and depth of each		rai specifications of any othe
So far as it may be available, the ty works for the withdrawal of groundwa	ppe, size and depth of each		rai specifications of any othe
So far as it may be available, the ty works for the withdrawal of groundwa 11-140 feet 4 in casing	ppe, size and depth of each		rai specifications of any othe
So far as it may be available, the ty works for the withdrawal of groundwa 11-140 feet 4 in casing	vpe, size and depth of each		rai specifications of any othe
So far as it may be available, the ty works for the withdrawal of groundwards of the state of th	ype, size and depth of each iter		rai specifications of any othe
So far as it may be available, the ty works for the withdrawal of groundwards 12-60 feet 4 in casing 12-60 feet 5 4 in casing	ype, size and depth of each iter		
So far as it may be available, the ty works for the withdrawal of groundwards 12-60 feet 4 in casing 12-60 feet 5 4 in casing	ype, size and depth of each iter		
So far as it may be available, the ty works for the withdrawal of groundwards 12-140 feet 4 in casing 12-60 feet 5 4 in casing 11. The log of formations encountered in 12. Such other information of a similar state of the same of the similar state of the same	r withdrawn each year 20	oarrying out the	rvailable
So far as it may be available, the ty works for the withdrawal of groundwa #1 -140 feet 4 in casing #2-60 feet 5 4 in casing #10. The estimated amount of groundwater 11. The log of formations encountered in	r withdrawn each year 26 the drilling of each well if	oarrying out the	ivailable
So far as it may be available, the ty works for the withdrawal of groundwards 12-40 feet 4 in casing 12-60 feet 5 4 in casing 11. The log of formations encountered in 12. Such other information of a similar state of the same of the of the	r withdrawn each year 20	o,306 available not a	policy of this act, including
So far as it may be available, the ty works for the withdrawal of groundwards 12-40 feet 4 in casing 12-60 feet 5 4 in casing 11. The log of formations encountered in 12. Such other information of a similar state of the	r withdrawn each year 20	o,306 available not a	policy of this act, including
So far as it may be available, the ty works for the withdrawal of groundwards 12-40 feet 4 in casing 12-60 feet 5 4 in casing 11. The log of formations encountered in 12. Such other information of a similar state of the	the drilling of each well if mature as may be useful in inty record	of Owner	rvailable

Original to the County Clerk and Recorder: Dupileate to the State Engineer: Triplients to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator. 13770


Please answer all on stions. If not applientle, so state, otherwise the form will be returned.

STATE OF MCCATANA (SS.)
County of Broadwater.

Country of Discontinuous Continuous Continuo

Jan Mary Starten

GW 2 Revised 1969



DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

height to which water rises in well.

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after January 1, 1962

(Under Chapter 237 Montana Session Laws, 1961, as amended)	Top o	F Graund	Eler, above sea level)
This form to be prepared by dallar and three copies to be filed by the owner with the County Clerk and Recorder in the county in which the well is located, last copy to be retained by driller.	From (Feet)	To (Feet)	
Please answer all questions. If not applicable, so state, otherwise the			
form may be returned.	0		
Owner GEORGE RAUSER JR.			Soils and clays.
Address TOSTON MONTANA File 7-4/76	7	16	Claybound sand and gravels. water @ 10'
10° +8 1, 17.74		-	
il. 15 PM	16	29	Mae sands. Vater.
Date well started 9/14/70 GW I	29	33	Clean sand and grave
completed 9/15/70			Vater.
Type of well Drilled			
(Dug. driven, bored or drilled) Equipment used (Chura drill. rotary or orber)			
Water Use: Domestic 🗍 Municipal 🗍 Stock 🂆 Irrigation 🗍			
• -		 	
Industrial 🗍 Drainage 🗍 Other 📑 Garden Lawn 🗍			
*Describe			
USE: If used for irrigation, industrial, drainage or other. Explain, state number of acres and location or other data (i.e. Lot, Block		<u> </u>	
and Addition).			
ESTIMATED ANNUAL WITHDRAWAL For cattle only.		<u> </u>	
Size of Size and From To Drilled Weight (Feet) (Feet) PERFORATIONS Hole of Cusing			
Kind From To Nize (Feet) (Feet			
6 [#] 6 5/8 [#] 0 33 none			
0.D. 17# per			
Ft.			
× 1			
Static water level Pumping water level	ft.* ft.*		
at 20 gallons per mir measured minutes after pum	nute,		
measured in minutes after purn began.	iping		
*Measured from ground level			
Weil developed by Surging	·····		
Power electricump 1/3	. HP		
Remarks: (Gravel packing, cemen	iting,	•	
, readled clay shutoff			
N'w 12 NW1. Sec. dec.32 outside of casing.			
+ A NO D C	··		
T → N. R			
INDICATE LOCATION OF WELL AND PLACE OF USE, IF POSSIBLE.			
EACH SMALL SQUARE REPRESENTS 40 ACRES			
EACH SMALL SQUARE REPRESENTS 40 ACRES DELLINE Co.			
EACH SMALL SQUARE REPRESENTS 40 ACRES			

33 Show exact depth of bottom

Doc. No. Filed for record A.D. 19_7/ o'clock //. M.

T 5N R 22

DUPLICATE

County 3roadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

Under Chapter 237, Montana Session Laws, 1961)

Veorge J. Rauser Name of Appropriator		of	Address	Town)
County of Broadwater		State of		
have appropriated groundwater accord	ling to th	e Montana lav	ws in effect pr	for to January I, 1962, as follows
				aim is based
	St	ock & Domes	tic	
				iest beneficial use; and how con
Į.	<u> Fe</u>	oruary 15	1954	
X				
				ned in miner's inches or gallon
		20. <u>z</u> al. pe	r zinute	
5	to w	nich water has	s been applied	eage and description of the land and name of the owner thereo
14 SE Sec 32 T 5N R 25				
eate point of appropriation				
n small square represents 10				water from the ground and th
	i negti	On of analy To	il or other me	ans of withdrawal
The date of commencement and completence of groundwater Februar	letion of t	Lectric jes he constructio	n of the well.	wells, or other works for with ith Electric jet purp
The date of commencement and complete drawal of groundwater Februar installed.	letion of t	lectric jets he constructio	n of the well.	wells, or other works for with the Electric jet pump
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft.	letion of t	Lectric jets he constructio	n of the well.	wells, or other works for with the Electric jet pump
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft. So far as it may be available, the typ works for the withdrawal of groundward.	letion of t cy. 10, 1 be, size an ater. The	he construction 354 to 7eh.	n of the well. 15, 1954 and h well or the	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft. So far as it may be available, the typ	letion of t cy. 10, 1 be, size an ater. The	he construction 354 to 7eh.	n of the well. 15, 1954 and h well or the	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft. So far as it may be available, the typ works for the withdrawal of groundward.	letion of t	he construction of the con	n of the well. 15, 1954 and h well or the	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 29 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installed.	letion of try. 10, 1	he construction of the con	n of the well. 15, 1954 of h well or the great deep	wells, or other works for with ith Electric jet pump.
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 29 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installectric	letion of try 10, 1 e, size an ater. The alled the drilli	he construction of the construction of each wear wear wear wear wear ag of each we	n of the well. 15, 1954 and h well or the a rest deep.	wells, or other works for with the Electric jet pump general specifications of any other type is a inch steel casi
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 29 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installectric	letion of try, 10, 1 be, size an ater. The alled withdraw the drilling	he construction of the construction of each we fire Sand &	n of the well. 15, 1954 with the well or	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installectric j	letion of tory 10, 1 be, size an ater. The alled withdray the drilling 20, 20, 35, and the as m	he construction of the construction of each we fit. Sand &	n of the well. 15, 1954 and h well or the aniest deep. ell if available gravel.	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi label to a sandy local the policy of this act, including
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 2 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installectric j	letion of try, 10, 1 oe, size an ater. The alled withdraw the drilling the drilling the drilling the drilling the drilling	he construction of the construction of the to fah. It is is so that the construction of the construction o	n of the well. 15, 1954 of h well or the great deep. 200,000	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi allons. I to a sandy losa the policy of this act, including
The date of commencement and complete drawal of groundwater Februar installed. The depth of water table 29 ft. So far as it may be available, the typ works for the withdrawal of groundwater with Electric jet pump installed. The estimated amount of groundwater the log of formations encountered in 5 to 201 gravel and clay. Such other information of a similar na reference to book and page of any course	letion of try, 10, 1 oe, size an ater. The alled withdraw the drilling the drilling the drilling the drilling the drilling	he construction of the construction of each year. The construction of the construction of each we can be useful in the construction of each we can be useful in the construction of each we can be useful in the construction of each we can be useful in the construction of each we can be useful in the construction of each we can be useful in the construction of each we can be useful in the construction of	n of the well. 15, 1954 of h well or the great deep Hell if available gravel.	wells, or other works for with ith Electric jet pump general specifications of any other type is a inch steel casi allows. It is said local the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clark and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

¿ 5552

STATE OF MONTANA See.

County of De minuter. within instrument was a second in month office on the strument of the second in month of the second of the seco

`•

The state of the s

Date...December 1963.

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is located.

12. Such other information of a similar nature as may be useful in carrying out the policy of this act, including

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer; Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

File No..... DUPLICATE

STATE OF MONTANA
ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER

Declaration of Vested Groundswater Discher

R

 	N	ame of Appropriator)	Earraingeroi Poston Montana (Town) State of Montana	
ha	ne approprie	ited groundwater acc	ording	g to the Montana laws in effect prior to January I, 1962, as	follow
		N			
X			-3.	The beneficial use on which the claim is based domest. Fard irrigation and stock watering.	-
	·,,,		3.	Date or approximate date of earliest beneficial use: and	
				more than forty years ato, use has been	3n
				Continuous.	
			ŧ.	The amount of groundwater claimed (in miner's inches of per minute) 2311003 2211003	
					
		\$	5 .	If used for irrigation, give the acreage and description of to which water has been applied and name of the owner laws and pardens immediately currous	r there
بر ۱/،	i i Sen	T5-4 R 2=		appropriators residence.	
		appropriation			
i p	lace of use	, if possible, represents 10	6.	The means of withdrawing such water from the ground location of each well or other means of withdrawal	******
				alectric nump.	
				-	
dr	awal of grou	indwater nora t	neo		for wi
dr	awal of grou	indwater <u>nora</u> t	nen	on of the construction of the well, wells, or other works	for wi
Th So wo	awal of ground the depth of far as it marks for the	water table axa ay be available, the twithdrawal of ground	ct d	on of the construction of the well, wells, or other works Lorty years ago. lenth unknown, less than fifty feet. size and depth of each well or the general specifications of r	for wi
Th So wo	e depth of far as it morks for the	water table examples available, the withdrawal of ground is drilled to	ct d type, s iwater	on of the construction of the well, wells, or other works Forty years aso. Lenth unknown, less than fifty feet. size and depth of each well or the general specifications of	for wi
Th So wo	e depth of far as it morks for the	water table axis water table axis ay be available, the s withdrawal of ground is drilled to	ct d type, s iwater	on of the construction of the well, wells, or other works Lorty years ago. leath unknown, less than fifty feet. size and depth of each well or the general specifications of recepth of approximately 55 feet.	for wi
Th So wo	e depth of far as it morks for the	water table axis ay be available, the s withdrawal of ground is drilled to	ct d type, s iwater	on of the construction of the well, wells, or other works Lorty years ago. lenth unknown, less than fifty feet. size and depth of each well or the general specifications of religious of a proximately 55 feet.	for wi
The So wo	e depth of far as it morks for the	water table axi	ct d	on of the construction of the well, wells, or other works Lorty years ago. Lenth unknown, less than fifty feet. size and depth of each well or the general specifications of received the size and depth of amproximately 55 feet.	for wi
Th So wo	e depth of far as it morks for the Mell e estimated	water table axa ay be available, the i withdrawal of ground is drilled to amount of groundwa mations encountered	type, siwater	on of the construction of the well, wells, or other works Lorty years ago. Less than fifty feet. size and depth of each well or the general specifications of representations of approximately 55 feet. withdrawn each year	for wi
Th So wo	awal of ground awal of ground the depth of far as it morks for the well well awaitab	water table axa ay be available, the in withdrawal of ground is drilled to amount of groundwa mations encountered	ct d type, s lwater a d	on of the construction of the well, wells, or other works Forty years ago. lenth unknown, less than fifty feet. size and depth of each well or the general specifications of reliable of approximately 55 feet. withdrawn each year. chilling of each well if available no logicarmat.	for wi
The So wo	awal of ground awal of ground the depth of far as it morks for the well well awaitab	water table axa ay be available, the in withdrawal of ground is drilled to amount of groundwa mations encountered	ct d type, s lwater a d	on of the construction of the well, wells, or other works Forty years ago. lenth unknown, less than fifty feet. size and depth of each well or the general specifications of religionship of amproximately 55 feet. withdrawn each year whomas are drilling of each well if available no log format.	for wi
The So wood The The Su ref	e depth of far as it morks for the well e estimated e log of for availab	water table axa ay be available, the in withdrawal of ground is drilled to amount of groundwa mations encountered le a commation of a similar ook and page of any e	type, s lwater ter w in the	on of the construction of the well, wells, or other works Forty years ago. Less than fifty feet. size and depth of each well or the general specifications of recepth of amproximately 55 feet. withdrawn each year and a drilling of each well if available no log format recept as may be useful in carrying out the policy of this act.	for wi
The South	e depth of far as it morks for the Well e estimated e log of for a vailab	water table axa ay be available, the in withdrawal of ground is drilled to amount of groundwa mations encountered le a commation of a similar ook and page of any e	type, s liwater ter w in the	on of the construction of the well, wells, or other works Forty years ago. leath unknown, less than fifty feet. size and depth of each well or the general specifications of reports of amportantely 55 feet. withdrawn each year construction of amportantely 55 feet. The drilling of each well if available no log format. The as may be useful in carrying out the policy of this act, record.	for wi
Th So wo	e depth of far as it morks for the Well e estimated e log of for a vailab	water table axis water table axis ay be available, the withdrawal of ground amount of groundwa mations encountered to a similar ok and page of any experience of any experience and page of any experience axis axis axis axis axis axis axis axis	type, s liwater ter w in the	on of the construction of the well, wells, or other works Forty years ago. leath unknown, less than fifty feet. size and depth of each well or the general specifications of recepth of amproximately 55 feet. withdrawn each year construction if available no log format. The drilling of each well if available no log format. The as may be useful in carrying out the policy of this act, record.	for wi

Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: duplicate to the State Engineer: Triplicate to the Montana Bureau of Mines and Geology, and Quadruplicate for the Appropriator.

7-313

STATISHEDING

COMMENT OF THE COMMENT

AND THE COMMENT

AN

Promotion of the secondary

The military of many on the Constant

DUPLICATE

located.

County Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER


	der Chapter 237, Montana Session Laws, 1961) STAIE ENUINEE
About Souringon - Pool	rl Barringer Toston, Hontana
Name of Appropria	ator Address Town
County of Broadwater	State of Montana
have appropriated groundwater	according to the Montana laws in effect prior to January 1, 1962, as follows:
N	_
	2. The beneficial use on which the claim is based.
	stock watering and irrigation of approximatel
	3 extra acres of pasturage.
i	3. Date or approximate date of earliest beneficial use; and how con-
	tinuous the use has been approximately 1941 when
x	well was dug. Approximately 1955, well dril
1	iseper. Use continuous.
	4. The amount of groundwater claimed (in miner's inches or gallons
	per minute) LCOO gallona per hour.
Ì	5. If used for irrigation, give the acreage and description of the lands
•	to which water has been applied and name of the owner thereof
•	pasture irrigation on appropriators! land
14 NM Sec. 33. T5. NR. 2 E.	
	****** ******* ***
icate point of appropriation place of use, if possible.	
h small square represents 10	6. The means of withdrawing such water from the ground and the
es.	location of each well or other means of withdrawal
	alactric pump
The date of commencement and	l completion of the construction of the well, wells, or other works for with-
drawal of groundwater Well.	completion of the construction of the well, wells, or other works for with- first constructed in 1941.
drawal of groundwater Well.	first constructed in 1941.
The depth of water table So far as it may be available, t	xact don'th unknown, loss than fifty feet. the type, size and depth of each well or the general specifications of any other
The depth of water table	xact depth umknown, less than fifty feet.
The depth of water table	xact depth unknown, lass than flifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table	xact dopth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table	xact dopth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun.	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet. Individually the drilling of each well if available.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations.	xact dopth unknown, loss than fifty feet. the type, size and depth of each well or the general specifications of any other coundwater. Rall is of approximate depth of 55 feet. advantage withdrawn each year unknown.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations.	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Wall is of approximate depth of 55 feet. Individually a size and depth of each well or the general specifications of any other roundwater withdrawn each year unknown. Pred in the drilling of each well if available. Size available.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations.	ract depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet. Indivater withdrawn each year. unknown.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other coundwater. Tell is of approximate depth of 55 feet. Indicate withdrawn each year. unknown. The drilling of each well if available. The drilling of each well if available. The drilling of each well in carrying out the policy of this act, including
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim reference to book and page of an	xact depth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other coundwater. Tell is of approximate depth of 55 feet. Indicate withdrawn each year. unknown. The drilling of each well if available. The drilling of each well if available. The drilling of each well in carrying out the policy of this act, including
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim	xact dopth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet. advantage withdrawn each year. unknown. ered in the drilling of each well if available. The depth of each well if available. The drilling of each well if available.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim reference to book and page of an	xact dopth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet. advantage withdrawn each year. unknown. ered in the drilling of each well if available. The depth of each well if available. The drilling of each well if available.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim reference to book and page of an	xact dopth unknown, loss than fifty feet. the type, size and depth of each well or the general specifications of any other countwater. Tall is of approximate depth of 55 feet. depth of size and depth of each well or the general specifications of any other countwater. Tall is of approximate depth of 55 feet. depth of size and depth of each well or the general specifications of any other countwater withdrawn each year. depth of size and depth of each well or the general specifications of any other countwater withdrawn each year. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater. depth of size and depth of each well or the general specifications of any other countwater.
The depth of water table So far as it may be available, two is for the withdrawal of groun. The estimated amount of groun. The log of formations encounter No log of formations encounter Such other information of a sim reference to book and page of an	xact dopth unknown, less than fifty feet. the type, size and depth of each well or the general specifications of any other roundwater. Tall is of approximate depth of 55 feet. advantage withdrawn each year. unknown. ered in the drilling of each well if available. The depth of each well if available. The drilling of each well if available.


Three copies to be filed by the owner with the County Clerk and Recorder of the county in which the well is

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder: Suplicate to the State Engineer: Triplicate to the Montana Bureau of Vines and Geology, and Quadrupileate for the Appropriator.

And the second of the second o





DRILLER'S LOG

Indicate the character, color, thick-

ness of strata such as soil, clay, sand, gravel, shale, sandstone, etc. Show

depth at which water is found and

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE MONTANA WATER RESOURCES BOARD

NOTICE OF COMPLETION OF GROUNDWATER APPROPRIATION BY MEANS OF WELL

Developed after Janu	· · · · · · · · · · · · · · · · · · ·		height	to which water rises in well.
(Under Chapter 237 Montana Session	Laws, 1961, as amended)	Top of	Ground	Elev. above sea (evel)
This form to be prepared by driller, by the owner with the County Clerk a which the well is located, last copy to Please answer all questions, if not applied to the control of the country of the countr	nd Recorder in the county in be retained by driller.	From (Feet)	To (Feet)	
form may be returned.		-0		
Owner E.L.HUNSAKER	·		11	
	For Administrator's Use		16	Hard clays.
Address TOSTON,	File	16	28	Claybound gravels.Dry
ANA THOM		28	35	Clays. Dry.
Date well started 9/13/70	GW 1	35	77	Claybound gravels.
completed 9/16/70				Wet.
		37	47	Clays. Dry.
Type of well Drilled	Due, driven, bored or drilled)	47	48	Claybound gravels.
Equipment used Cable tools.	(Churn drill, rotary or other)			Water, would not clear up.
Water Use: Domestic 29 Municipal				
		48	>5	Clays. Dry.
		58	60	Sandstone, Jator would
Describe Home and yard us				not_clear_mp
USE: If used for irrigation, industrial, state number of acres and location	drainage or other. Explain, n or other data (i.e. Lot, Block	-50	55	Clays. Dry.
and Addition).				
		92	94'6"	Clean sand and grayels. WATER.
Size of Size and From To				AARIBARA_AAAA
Size of Size and From To Drilled Weight (Feet) (Feet) Hole of Caning	PERFORATIONS Kind From To			
	vire Fest) (Fest)			
6n 6 5/8n 0 94	1014		<u> </u>	
O.D.	104114			
17# per ft.				
:				
×				
S	ratic water level 60 ft.* umping water level 74 ft.*			
3'	gailons per minute,			
, , , , , , , , , , , , , , , , , , , ,	neasured 60 minutes after pumping			
w .	egan. Measured from ground level.		<u></u>	
Y .	Vell developed by SWESTAS			
	cwerelectriqump 3/4 HP			
1 6 1	emarks: (Gravel packing, cementing, ackers, type of shutoff)			
, p	uddled clay shutoil			
	utside off casing rom 0' to 94'			
\$				
INDICATE LOCATION OF WELL AND	_			
EACH SMALL SQUARE REPRESENTS 4	RILLING CO.			

BOZEMAN, MONTANA

Onlier's Address

3

SIAIE

kgom (1988) 🚉 Fillim Grope (Groving) (1988) Ezizetki Millinoura 🛶 🖼

DUPLICATE

Broadwater

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE

OFFICE OF STATE ENGINEER

Declaration of Vested Groundwater Rights

Under Chapter 237, Montana Session Laws, 1961

United States of America

Box 2553

Billings

Name of Apprepriator

Address


Town

County of Yellowstone

State of Hontana

have appropriated groundwater according to the Montana laws in effect prior to January 1, 1962, as follows:

. 📆



NELSEL Sec. 33 T. 5 N.R. 2 E.

Indicate point of appropriation and place of use, if possible. Each small square represents 10 acres.

- The beneficial use on which the claim is based Domestic water supply for Project residence, Operation and Maintenance office, shop, and grounds:
- Date or approximate date of earliest beneficial use; and how continuous the use has been December 1954 well has been used continuously since that time.
- 4. The amount of groundwater claimed in miner's inches or gallons per minute
- 5. If used for irrigation, give the acreage and description of the lands to which water has been applied and name of the owner thereof Used to irrigate the laws around the Grow Greek Pump Unit Residence. Land owned by the U.S. Covernment.
- 5. The means of withdrawing such water from the ground and the location of each well or other means of withdrawal water is pusped from a six inch disaster steel casing by an electrically driven pusp having an approximate discharge capacity of 16 gallons per minute.
- 7. The date of commencement and completion of the construction of the well, wells, or other works for withdrawal of groundwater Started October 9, 1954, and completed October 27, 1954.
- 4. The depth of water table 90 feet
- So far as it may be available, the type, size and depth of each well or the general specifications of any other works for the "ithdrawal of groundwater" | Well type domestic water supply, Size 6 inch diameter plain and perforated steel casing, Repth 148 feet of casing.
- 10. The estimated amount of groundwater withdrawn each year 16 acre-feet.
- II. The log of formations encountered in the drilling of each well if available 0-1' top soil, 1-18' sand & gravel & volcanic ash, 18-24' clay & ash, 24 42' sand with volcanic ash and some gravel, 42-58' coarse sand, 58-62' Hard pan (CaCO₃ comented gravels), 62-66' coarse gravel, 66-72' coarse sand and some gravel, 72-102' cand, 102-134' very sandy clay & pea size gravel, 134-136' large gravel, 136-152' very sandy clay & gravel.
- 12. Such other information of a similar nature as may be useful in earrying out the policy of this act, including reference to book and page of any county record. This water is used by employees of the United States or its agents in connection with operation and maintenance of the Grow Greek Federal.

 Reclaration Project.

For Regional Director, Region 6, Bureau of Reclamation
Date December 18, 1963

Three corps to be gled by the owner with the County Clerk and Recorder of the county in which the well is located.

Please inswer in prestous. If not applied to, so state, our noise the form will be returned.

o great competition and Recorder Capitano to the State Element Triplies to the Montana Bureau of Montana control of the contro

13-

STATE of MCNTANA F SS. County of Broadwater V Thereby corrifo that the within in-

strument was filed to record in my

strument was filed to record in my

struction the Short July of

March A. J. 10 7/ at

more past 3

niclock W. Sw.

File No.....

T 51 R 21 County Broaduster

DUPLICATE

STATE OF MONTANA ADMINISTRATOR OF GROUNDWATER CODE OFFICE OF STATE ENGINEER



Notice of Completion of Groundwater Appropriation and the second Without Well

Date of Appropriation of Groundwater. 1956

Under Chapter 237 Montana Session Laws, 1961

	Owner Even E. Mington Address Toston, Ront.
	Contractor if any Hone
	Address of Contractor Completed when land was purchased in 19 56 Date Started Date Completed
N N	Describe means of obtaining groundwater without a well "as by sub-irrigation and other natural processes". Include depth to
	water when applicable
	This is by litch, dam and reservoir
	t .
	and the second of the second o
	and the second of the second o
•	Quantity of water developed and used with explanation of method used to measure or estimate such amount. If use is intermittent fund-covers on cers-maximum depth 10 feet.
s	estimate approximate lengths of periods of use
S.Z. Ser. 34 T511 R 2W	Spring, surger and fall.
Indicate point of appropriation and place of use, if possible.	
	and the second of the second o
	Signature of Owner Evan & Dinn Hon
	Date Dec. 1st 1963

This form to be prepared by contractor if any , otherwise by the owner.

Three copies of this notice are to be filed with the County Clerk and Recorder of the county in which the works are located.

Please answer all questions. If not applicable, so state, otherwise the form will be returned.

Original to the County Clerk and Recorder; duplicate to the State Engineer; Triplicate to the Montana Burean of Mines and Geology and Quadruplicate for the Appropriator.

11 12 Descond